VADEMÉCUM

SMALL BREEDS

2025 Edition

MY PETS
VETERINARY CENTER W.L.L



MY PETS
OFFICIAL
DISTRIBUTOR
IN BAHRAIN

Kingdom of Bahrain
Email: info@mypets-wll.com
Website: www.Mypets-wll.com

17536617 - 38744443

INDEX **PRODUCTS**

Antiparasitic

Vermiplex® Max
Tablets
Vermiplex® Puppy
Suspension and Tablets
Vermiplex® Plus 10
Tablets
Vermiplex® Plus 30
Tablets
Flagyplex® Plus 30
Suspension

Antibacterial

Rx Spectrum® Amoxicillin - Clavulanic Acid
Suspension and Tablets
Rx Spectrum® Cephalexin
Tablets
Rx Spectrum® Doxycycline
Tablets
Rx Spectrum® Clindamicyn
Solution and Tablets
Rx Spectrum® Enrofloxacin
Suspension and Tablets
Rx Spectrum® Sulfamethoxazole-Trimethoprim
Suspension
Rx Spectrum® Ciprofloxacin-Metronidazole
Tablets
Rx Spectrum® Azithromycin
Suspension
Rx Spectrum® Rifaximin
Suspension

Dermatological

Micoplex Plus®
Shampoo
Micoplex Max®
Shampoo and Spray
Clorexiderm Max®
Shampoo and Spray
Pramoxine Max®
Shampoo and Spray
Omegaderm®
Shampoo
Bactoderm®
Shampoo
Dermoplex®
Cream
Toplex®
Ointment
Hydro-Skin®
Soap
Aller-Sek®
Shampoo
Foliplex®
Shampoo
Oatmeal®
Shampoo

Biologic

Canomune® DHL
Canomune® Puppy DP
Canomune® Puppy DHA2P
Canomune® Puppy DHA2PPi
Canomune® DHA2PPi+L4
Rabimune®
Coronamune® P
Parvomune®

Nutritional

Rx Canoplex® Calcio
Rx Canoplex® Ages
Rx Canoplex® Jr
Rx Cartiplex®
Rx Geriaplex®
Rx Dermoplex® Ages
Rx Nutriplex® Gel

Health and Beauty

Lassy® insecticidal shampoo
Lassy® Medicated shampoo
Lassy® Insecticidal soap
Lassy® Medicated soap
Lassy® Neutral shampoo
Lassy® Multivitamin

Gastrointestinal

Rx Gastroplex® Omeprazole 5 mg-tablets
Rx Gastroplex® Omeprazole 20 mg-tablets

Anti-inflamatory and Pain killer

Rx Relaxicam® Tablets
Rx Relaxicam® Suspension
Condroprodyl® Tablets
Predni-Care® Pain killer
Tramaplex® Pain killer

Otic

Ear Clean® Otic solution
Otiplex® Plus Otic solution

Natural Restore

Oti-Restore® Otic solution
Skin-Restore® Antiseptic solution
GI-Restore® Food supplement

Rx Felvital

Rx Felvital® Taurine
Oral Suspension
Rx Felvital® L-Carnitine
Oral Suspension
Rx Felvital® UT
Oral Suspension
Rx Felvital® Itraconazole
Oral Suspension
Rx Felvital® Triple Defense
Oral Suspension

Vermiplex® Max

Registration number Q-4196-196



Tablets
Broad-spectrum internal parasitic for dogs.

FORMULA:

Each tablet contains:

Fenbendazole 500 mg, praziquantel 50 mg, toltrazuril 200 mg, excipient q.s. 1 tablet.

INDICATIONS:

Anthelmintic, taenicide and antiprotozoal for dogs indicated for metaphylactic use and treatment of mixed parasitosis caused by nematodes, cestodes and protozoa.

DOSAGE:

General dose:

Fenbendazole: 50 mg per kg of body weight.
Praziquantel: 5 mg per kg of body weight.
Toltrazuril: 20 mg per kg of body weight.
For infections caused by ***Trichuris***, ***Toxocara***, ***Ancylostoma***, ***Toxascaris***, ***Uncinaria***, ***Taenia***, ***Giardia***, ***and Coccidia***: 1 tablet per 10 kg of body weight every 24 hours for 3 consecutive days, and repeat dose on days 14 and 21. The dosage may be modified depending on the type of infection at the veterinarian's discretion.

Suggestion: repeat the dose every 3-4 months as a preventive measure to avoid reinfection.

PRESENTATION:

Display with 6 blister packs of 2 tablets each.

ADMINISTRATION:

Oral.

Vermiplex® Puppy

Registration number Q-4196-219, Q-4196-059



Oral suspension and Tablets
Broad-spectrum anthelmintic for dogs and cats

FORMULA:

Suspension

Every mL contains:

Pyrantel pamoate 20 mg, oxantel pamoate 20 mg, vehicle q.s 1 mL

Tablets

Each tablet contains:

Pyrantel pamoate 75 mg, oxantel pamoate 75 mg, excipient q.s. 1 tablet

INDICATIONS:

Broad-spectrum anthelmintic for the treatment of internal parasitosis in dogs and cats caused by:
Toxocara canis, ***Toxocara cati***, ***Toxascaris leonina***, ***Ancylostoma*** sp., ***Uncinaria*** sp. ***and Trichuris*** sp.

DOSAGE:

Suspension.

1 mL of Vermiplex® Puppy suspension per kilo of body weight.

Tablets.

1 tablet per 5 kg of body weight (equivalent to 75 mg of pyrantel pamoate and 75 mg of oxantel pamoate per 5 kg of body weight)).
The treatment can be administered from 2 weeks of age, repeating the dose every 15 days until 3 months of age. In cases of severe infestation, repeat dose for 3 consecutive days. Can be administered to pregnant or lactating females. The dosage may be modified at the veterinarian's discretion.

PRESENTATION:

Suspension box with bottle for 40 and 120 mL. Display with 25 blister packs of 6 tablets each.

ADMINISTRATION:

Oral.



Vermiplex® Plus 10

Registration number Q-4196-132



Oral Suspension
Broad-spectrum anthelmintic and tapeworm killer for dogs

FORMULA:

Each tablet contains:
Pyrantel pamoate 150 mg, praziquantel 50 mg, fenbendazole 150 mg, excipient q.s. 1 tablet

INDICATIONS:

Anthelmintic and tapeworm killer for the treatment of internal parasitosis in adult and young dogs caused by: ***Toxocara canis***, ***Toxascaris leonina***, ***Ancylostoma caninum***, ***Dipylidium caninum***, ***Trichuris vulpis***, ***Uncinaria stenocephala***, ***Taenia* sp.**, ***Echinococcus granulosus* and *Mesocestoides* sp.**

DOSAGE:

General dose:
Pyrantel pamoate: 15 mg/kg of body weight.
Praziquantel: 5 mg/kg of body weight.
Fenbendazole: 15 mg/kg of body weight.
Vermiplex® Plus 10
1 tablet per 10 kg of body weight. Single dose.
Can be administered directly into the animal's mouth or mixed with food without prior fasting.
Can be used in pregnant or lactating females.
It is recommended to repeat the treatment after 15 days.
A deworming program should be established every 4 months.
The dosage may be modified at the veterinarian's discretion.

PRESENTATION:

Display with 25 blister packs of 2 tablets each.
Display with 12 blister packs of 2 tablets each.

ADMINISTRATION:

Oral.

Vermiplex® Plus 30

Registration number Q-4196-068



Tablets
Broad-spectrum antiparasitic for dogs

FORMULA:

Each tablet contains:
Pyrantel pamoate 450 mg, praziquantel 150 mg, fenbendazole 450 mg, excipient q.s 1 tablet

INDICATIONS:

Anthelmintic and tapeworm killer for the treatment of internal parasitosis in adult and young dogs caused by: **Toxocara canis, Toxascaris leonina, Ancylostoma caninum, Dipylidium caninum, Trichuris vulpis, Uncinaria stenocephala, Taenia sp., Echinococcus granulosus y Multiceps sp. and Mesocestoides sp.**

DOSAGE:

General dose:
Pyrantel pamoate: 15 mg per kg of body weight. Praziquantel: 5 mg per kg of body weight. Fenbendazole: 15 mg per kg of body weight. **Vermiplex® Plus 30**: 1 tablet per 30 kg of body weight (equivalent to 450 mg of pyrantel pamoate, 150 mg of praziquantel, and 450 mg of fenbendazole per 30 kg of body weigh).
Single dose: Can be administered directly into the animal's mouth or mixed with food without prior fasting.
Can be used in pregnant or lactating females.
Treatment should be repeated after 15 days.
A deworming program should be established every 4 months.
The dosage may be modified at the veterinarian's discretion.

PRESENTATION:

Display with 12 blister packs of 2 tablets each.

ADMINISTRATION:

Oral.

Flagyplex®

Registration number Q-4196-212



Oral suspension
Antiparasitic and giardicide for dogs and cats

FORMULA:

Each 100 mL contains:
Metronidazole benzoyl 5 g, vehicle q.s. 100 mL

INDICATIONS:

Broad-spectrum antiprotozoal and antibacterial agent, indicated for control and treatment of infections caused by trichomonas, amoebas, and giardia in dogs and cats, as well as enteric and systemic infections caused by anaerobic bacteria susceptible to metronidazole.

DOSAGE:

Dogs: 1 ml per 2 kg of body weight (equivalent to 25 mg per kg of body weight) every 12 hours, for a period of 5 to 7 days.
Cats: 0.5 ml per kg of body weight (equivalent to 25 mg per kg of body weight) every 12 hours, for a period of 5 to 7 days.
The dosage and duration of treatment may vary at the veterinarian's discretion.

PRESENTATION:

Box with 60 mL container

ADMINISTRATION:

Oral.

Rx Spectrum®
Amoxicillin Clavulanic Acid
Registration number Q-4196-147, Q-4196-257, Q-4196-258, Q-4196-259



Oral suspension and Tablets
Broad-spectrum antimicrobial
beta-lactamase inhibitor in dogs and cats

FORMULA:
Suspension. Once reconstituted, each mL contains: Amoxicillin trihydrate 50 mg, clavulanic acid 12.5 mg, vehicle q.s. 1 mL
Tablets. Each Tablet contains:
50 mg: Amoxicillin trihydrate 40 mg, clavulanic acid 10 mg, excipient q.s. 1 tablet
250 mg: Amoxicillin trihydrate 200 mg, clavulanic acid 50 mg, excipient q.s. 1 tablet
500 mg: Amoxicillin trihydrate 400 mg, clavulanic acid 100 mg, excipient q.s. 1 tablet

INDICATIONS:
Treatment of skin, soft tissue, genitourinary, respiratory tract, ear infections and periodontal diseases in dogs and cats caused by germs susceptible to the active ingredients of the formula.

DOSAGE:
General dose:
10 mg of amoxicillin and 2.5 mg of clavulanic acid per kg of body weight, every 8 or 12 hours, for 7 days.
Rx Spectrum® Amoxicillin Clavulanic Acid Dogs and cats:
1 mL per 5 kg of body weight every 8 or 12 h., for 7 days.
The dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Box with 30 mL bottle/powder for suspension.
Box with bottle for 20 tablets of 50, 250 and 500 mg.

ADMINISTRATION:
Oral.

Rx Spectrum®
Cephalexin
Registration number Q-4196-137, Q-4196-138, Q-4196-139, Q-4196-140



Tablets
Broad-spectrum antimicrobial
for dogs and cats

FORMULA:
Each tablet contains:
75 mg: Cephalexin Monohydrate 75 mg, excipient q.s. 1 tablet
150 mg: Cephalexin Monohydrate 150 mg, excipient q.s. 1 tablet
300 mg: Cephalexin Monohydrate 300 mg, excipient q.s. 1 tablet
600 mg: Cephalexin Monohydrate 600 mg, excipient q.s. 1 tablet

INDICATIOINS:
A first-generation cephalosporin for the treatment of infections caused by Gram-positive and Gram-negative bacteria susceptible to cephalexin. Useful in cases of pyoderma, soft tissue infections, respiratory infections, otitis media, bone and/or joint infections, and urinary tract infections.

DOSAGE:
General dose:
15 mg/kg of body weight every 8 to 12 h, for 5 to 7 days.
Rx Spectrum® Cephalexin 75 mg:
Dogs and cats: 1 tablet per 5 kg of body weight every 8 or 12 hours, for 5 to 7 days.
Rx Spectrum® Cephalexin 150 mg:
Dogs: 1 tablet per 10 kg of body weight every 8 or 12 hours, for 5 to 7 days.
Rx Spectrum® Cephalexin 300 mg:
Dogs: 1 tablet per 20 kg of body weight every 8 or 12 hours, for 5 to 7 days.
Rx Spectrum® Cephalexin 600 mg:
Dogs: 1 tablet per 40 kg of body weight every 8 or 12 hours, for 5 to 7 days.
In cases of pyoderma, a dose of 22 to 35 mg per kg of body weight every 12 hours is recommended for a treatment period of 21 to 42 days, as required due to the infection.
The dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Box w/30 tablets of 75 and 150 mg, Box with 28 tablets of 300 mg, Box with 20 tablets of 600 mg

ADMINISTRATION:
Oral.

Rx Spectrum®
Doxycycline
Registration number Q-4196-148, Q-4196-149, Q-4196-150



Tablets
Broad-spectrum antimicrobial for dogs
and cats

FORMULA:
Each tablet contains:
50 mg: Doxycycline hyclate 50 mg, excipient q.s. 1 tablet
100 mg: Doxycycline hyclate 100 mg, excipient q.s. 1 tablet
250 mg: Doxycycline hyclate 250 mg, excipient q.s. 1 tablet

INDICATIONS:
Treatment of infections caused by microorganisms susceptible to doxycycline, particularly respiratory (pneumonia, bronchopneumonia, kennel cough, feline respiratory disease, pharyngitis, tracheitis, bronchitis, sinusitis), dermatological (otitis, abscesses, cellulitis), joint, genitourinary, intestinal (gastroenteritis), leptospirosis, anaplasmosis, ehrlichiosis and brucellosis.

DOSAGE:
General dose:
10 mg/kg of body weight every 24 hours, for a minimum period of 7 days and may be prolonged in chronic cases depending on the condition.
Rx Spectrum® Doxycycline 50 mg:
Dogs and cats: 1 tablet per 5 kg of body weight every 24 h.
Rx Spectrum® Doxycycline 100 mg:
Dogs:1 tablet per 10 kg of body weight every 24 hr.
Rx Spectrum® Doxycycline 250 mg:
Dogs: 1 tablet per 25 kg of body weight every 24 hr. The dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Box w/container for 30 and 200 tablets of 50 mg
Box w/container for 30 and 200 tablets of 100 mg Box with bottle for 30 and 200 tablets of 250 mg

ADMINISTRATION:
Oral.

Versión en revisión

Rx Spectrum®
Clindamycin
Registration number Q-4196-217, Q-4196-141, Q-4196-142, Q-4196-143



Oral suspension and Tablets
Broad-spectrum antimicrobial for dogs and cats

FORMULA:
Suspension. Each mL contains:
Clindamycin hydrochloride 25 mg, vehicle q.s. 1mL
Tablets. Each tablet contains:
25 mg: Clindamycin hydrochloride 25 mg, excipient q.s. 1 tablet
50 mg: Clindamycin hydrochloride 50 mg, excipient q.s. 1 tablet
125 mg: Clindamycin hydrochloride 125 mg, excipient q.s. 1 tablet

INDICATIONS:
Treatment of oral infections, skin infections (bacterial dermatitis), abscesses, infected wounds, and osteomyelitis caused by bacteria susceptible to clindamycin.
Due to its antiprotozoal action, it can be administered to treat toxoplasmosis and babesiosis.

ADMINISTRATION:
Oral.

DOSAGE:
General dose:
5 to 10 mg/kg of body weight every 12 hours, or double the dose every 24 hours, for a period of 7 to 14 days.
Dogs and cats: 1 mL (25 mg) per 5 kg of body weight every 12 hours for 7 to 14 days, or 2 mL (50 mg) per 5 kg of body weight every 24 hours for 7 to 14 days.
Rx Spectrum® Clindamycin 25 mg:
Dogs and cats: 1 tablet (25 mg) per 5 kg of body weight every 12 hours for 7 to 14 days or 2 tablets (50 mg) per 5 kg of body weight every 24 hours for 7 to 14 days.
Rx Spectrum® Clindamycin 50 mg:
Dogs: 1 tablet (50 mg) per 10 kg of body weight every 12 h, for 7 to 14 days or 2 tablets (100 mg) per 10 kg of body weight every 24 h, for 7 to 14 days.
Rx Spectrum® Clindamycin 125 mg:
Dogs: 1 tablet (125 mg) per 25 kg of body weight every 12 h, for 7 to 14 days or 2 tablets (250 mg) per 25 kg of body weight every 24 h, for 7 to 14 days.
In cases of osteomyelitis, double the tablet dose and extend treatment for up to 28 days.
The dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Box with 25 mL container for solution.
Box with 20 tablets of 25, 50 and 125 mg.

Rx Spectrum®
Enrofloxacin
Registration number Q-4196-154, Q-4196-151, Q-4196-152



Oral suspension and tablets
Broad-spectrum antimicrobial agent for dogs and cats

FORMULA:
Suspension. Each mL contains:
Enrofloxacin 25 mg, vehicle q.s. 1mL

Tablets. Each tablet contains:
50 mg: Enrofloxacin 50 mg, excipient q.s. 1 tablet
150 mg: Enrofloxacin150 mg, excipient q.s. 1 tablet

INDICATIONS:
Broad-spectrum antimicrobial for the treatment of infections caused by microorganisms susceptible to enrofloxacin in the following cases:
Respiratory system: pharyngitis, laryngitis, tracheitis, bronchitis, tracheobronchitis, pneumonia, bronchopneumonia, and kennel cough.
Digestive tract: leptospirosis, bacterial gastroenteritis, bacterial peritonitis, stomatitis.
Genitourinary: cystitis, prostatitis, urethritis, pyometritis, vaginitis, metritis, and kidney infections.
Dermatological: abscesses, wounds, pyoderma, and soft tissue infections.
In addition to otitis, osteoarticular infections and septicemia in general.

DOSAGE:
General dose:
Dogs: 5 to 20 mg/kg of body weight, every 24 hours.
Cats: 5 mg/kg of body weight, every 24 hours.
The treatment may last 3 to 5 days or until remission of clinical signs, not exceeding 30 days of treatment.
Suspension. Dogs and cats: Administer 1 mL (25 mg) per 5 kg of body weight every 24 hrs, for 5 consecutive days.
Rx Spectrum® Enrofloxacin 50 mg:
Dogs and cats: 1 tablet per 10 kg of body weight every 24 hours, for 5 consecutive days.
Rx Spectrum® Clindamycin 50 mg
Dogs: 1 tablet per 30 kg of body weight every 24 hours, for 5 consecutive days.
The dose may be modified at the Veterinarian's discretion.

PRESENTATION:
Box with 40 mL container.
Box with 10 tablets of 50 and 150 mg.

ADMINISTRATION:
Oral.

Rx Spectrum®
Sulfamethoxazole-Trimethoprim
Registration number Q-4196-134



Oral suspension and tablets
Broad-spectrum antimicrobial for dogs and cats

FORMULA:
Each 100 mL contains:
Sulfamethoxazole 4 g, Trimethoprim 0.8 g, vehicle q.s. 100 mL

INDICATIONS:
Broad-spectrum synergistic antimicrobial and antiprotozoal agent for the treatment of dermatological, respiratory, digestive, and genitourinary infections caused by germs susceptible to the active ingredients of the formula.

DOSAGE:
General dose:
15-30 mg/kg every 12 h, for 7 to 14 days.
Dogs:
6 mL per 15 kg of body weight, every 12 hours.
Cats:
1.5 mL per 3 kg of body weight, every 12 hours.
The dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Box with 60 mL container

ADMINISTRATION:
Oral.

Rx Spectrum®

Ciprofloxacin-Metronidazole

Registration number Q-4196-226



Tablets
Broad-spectrum antimicrobial for dogs

FORMULA:
Each tablet contains:

Ciprofloxacin 200 mg, metronidazole 500 mg, excipient q.s. 1 tablet

INDICATIONS:
Treatment of infections caused by Gram-positive, Gram-negative bacteria and protozoa susceptible to the principles of the formula.

DOSAGE:
General dose:
Ciprofloxacin: 10 mg/kg of body weight every 12 hours.
Metronidazole: 25 mg/kg of body weight every 12 hours.
Dogs: 1/2 tablet per 10 kg of body weight every 12 hours, for a period of 7 to 21 days.
The dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Box with 20 tablets of 700 mg.

ADMINISTRATION:
Oral.

Rx Spectrum®

Azithromycin

Registration number Q-4196-176



Oral suspension
Broad-spectrum antimicrobial for dogs and cats

FORMULA:
Once reconstituted, each mL contains:
Azithromycin dihydrate 40 mg, vehicle q.s. 1 mL

INDICATIONS:
Broad-spectrum antimicrobial for the treatment of respiratory (upper and lower tract), ear, nose and throat, dermatological, stomatological, urogenital, digestive and osteoarticular infections caused by microorganisms susceptible to the active ingredient of the formula.

DOSAGE:
General dose:
10 mg/kg of body weight daily for 3 to 5 days.
Dogs and cats: Administer 1 mL (40 mg) per 4 kg of body weight for 3 to 5 days.
For the elimination of coccidia, two doses of 30 mg/kg of weight every 48 hr.
For the treatment of chlamydiosis, a dose of 10 mg/kg every 24 hours for 15 days is recommended, followed by 5 mg/kg , every 24 hours for 7 days, and then 5 mg/kg every 48 hours for 14 days.
The dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Box with bottle/powder for 30 mL suspension.

ADMINISTRATION:
Oral.

Rx Spectrum®

Rifaximin

Registration number Q-4196-266



Oral suspension
Broad-spectrum antimicrobial for dogs and cats

FORMULA:
Once reconstituted, each 100 mL contains:
Rifaximin 3.4 g, vehicle q.s. 100 mL

INDICATIONS:
Treatment of gastrointestinal infections caused by bacteria susceptible to Rifaximin such as: ***Escheri- chia coli***, ***Enterobacter sp***, ***Proteus sp***, ***Clostridium sp***, among others.
Helpful in treating inflammatory bowel disease (IBD) and hepatoencephalopathy.

DOSAGE:
General dose:
Gastrointestinal infections:
17 mg/kg of body weight every 8 hours for 4 days.
Inflammatory bowel disease: 25 mg/kg every 12 hours for 21 days.
Hepatoencephalopathy: 550 mg per patient every 12 or 24 hours.
Rx Spectrum® Rifaximin:
Dogs and cats:
Gastrointestinal infections: 2.5 mL per 5 kg of body weight (equivalent to 85 mg/5 kg) every 8 hours for 4 days.
Inflammatory bowel disease: 3.7 mL per 5 kg of body weight (equivalent to 125.8 mg/5 kg) every 12 hours for 21 days.
Hepatoencephalopathy: 16 mL per patient (equivalent to 550 mg per patient) every 12 or 24 hours.
The dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Box with 60 mL bottle/powder for suspension.

ADMINISTRATION:
Oral.



Versión en revisión

Micoplex Plus®

Registration number Q-4196-177



Shampoo
Antifungal and bactericidal shampoo for dogs, cats and horses

FORMULA:
Each 100 mL contains:

Miconazole nitrate 2 g, chlorhexidine gluconate 2 g, vehicle q.s. 100 mL

INDICATIONS:
Synergistic combination for the treatment of dermatological infections caused by fungi (***Microsporum spp***, ***Trichophyton spp***), yeasts (***Malassezia pachydermatis)***, Gram-positive bacteria (***Staphylococcus spp***, ***Streptococcus*** spp) and Gram-negative bacteria (P. aeruginosa) in dogs, cats and horses.

APPLICATION:
Wet the animal's coat and apply a sufficient amount of shampoo, rubbing until a rich lather forms, avoiding contact with eyes. Leave on for 5 to 10 minutes and rinse. Apply 2 to 3 times per week until clinical signs subside. If no improvement is observed within 2 to 3 weeks, diagnosis should be reconsidered. Identification of the infecting microorganism is essential (culture or direct smear).

PRESENTATION:
350 mL Container

ADMINISTRATION:
Topical.

Micoplex Max®

Registration number Q-4196-270, Q-4196-273

CERAMIDES III PMU TECHNOLOGY SUSTAINED RELEASE



Shampoo and Spray
Antifungal, antibacterial, antipruritic and restructuring shampoo for dogs and cats

FORMULA:
Shampoo. Each 100 mL contains:
Clotrimazole 1 g, chlorhexidine gluconate 2 g.
Vehicle:
alpha-bisabolol, D-panthenol, ceramide III (N-octade-canoylphitosphingosine), surfactants and preservatives q.s 100mL
Spray. Each 100 mL contain:
Clotrimazole 1 g, chlorhexidine gluconate 2 g
Vehicle:
alpha-bisabolol, D-panthenol, ceramide III (N-octadecanoylphytosphingosine),mosturizers, surfactants and preservatives q.s 100 mL

INDICATIONS:
Shampoo and Spray: Antifungal and antibacterial shampoo with moisturizing (D-panthenol) and restructuring properties of the corneal extract (ceramide III), for the treatment of mixed dermatological infections present in pruritus and inflammation (alpha-bisabolol) associated with dermatophytes, yeasts and bacteria.

APPLICATION:
Shampoo: Wet the animal's coat and apply a sufficient amount of shampoo, rubbing until a rich lather forms. Leave on for 5 to 10 minutes and rinse. Repeat twice a week until clinical signs subside, then continue treatment as directed by the veterinarian.
Spray: Spray the product, parting the hair against the grain at a distance of approximately 10 cm, ensuring that the solution makes contact with the skin.
Dogs: Apply once or twice a day for 6 weeks or until clinical signs subside, then continue treatment as directed by the veterinarian.
Cats: Apply once a day for 6 weeks or until clinical signs subside, then continue treatment as directed by the veterinarian.

PRESENTATION:
Shampoo: 350 mL Container
Spray: 120 mL container with atomizer

ADMINISTRATION:
Topical.

Clorexiderm Max®

Registration number Q-4196-269, Q-4196-272

CERAMIDES III PMU technology SUSTAINED RELEASE



Shampoo and Spray
Antiseptic, Antipruritic and restructuring shampoo for dogs and cats

FORMULA:
Shampoo. Each 100 mL contains:
Chlorhexidine gluconate 3 g
Vehicle:
alpha-bisabolol, D-panthenol, ceramide III (N-octade-canoylphitosphingosine), surfactants and preservatives q.s. 100 mL
Spray. Each 100 mL contain:
Chlorhexidine gluconate 3 g
Vehicle:
alpha-bisabolol, D-panthenol, ceramide III (N-octade-canoylphitosphingosine), moisturizers, surfactants and preservatives q.s. 100mL

INDICATIONS:
Shampoo and Spray: Antiseptic with moisturizing (D-panthenol) and restructuring properties of the stratum corneum extract (ceramide III), helpful in treating dermatological infections that occur with itching and inflammation (alpha-bisabolol) such as dermatitis, seborrhea, etc. caused by a wide spectrum of microorganisms susceptible to chlorhexidine.

APPLICATION:
Shampoo: Wet the animal's coat and apply a sufficient amount of shampoo, rubbing until a rich lather forms. Leave on for 5 to 10 minutes and rinse. Repeat twice a week until clinical signs subside, then continue treatment as directed by the veterinarian.
Spray: Spray the product, parting the hair against the grain at a distance of approximately 10 cm, ensuring that the solution makes contact with the skin.
Dogs: Apply once or twice a day for 6 weeks or until clinical signs subside, then continue treatment as directed by the veterinarian.
Cats: Apply once a day for 6 weeks or until clinical signs subside, then continue treatment as directed by the veterinarian.

PRESENTATION:
Shampoo: 350 ml container
Spray:120 mL container with atomizer

ADMINISTRATION:
Topical.

Pramoxine Max®

Registration number Q-4196-171, Q-4196-174

CERAMIDES III
PMU
TECNOLOGY
SUSTAINED RELEASE



Shampoo and Spray
Antipruritic, restructuring and moisturizing shampoo for dogs and cats

FORMULA:
Shampoo. Each 100 mL contains:
Pramoxine HCL 1 g
Vehicle:
Avena sativa, alfa-bisabolol, ceramide III (N-octadecanoylphitosphingosine), D-panthenol, surfactants and preservatives q.s. 100 mL
Spray. Each 100 mL contains:
Pramoxine HCL 1 g
Vehicle:
Avena sativa, alfa-bisabolol, ceramide III (N-octadecanoylphitosphingosine), D-panthenol, moisturizers, surfactants and preservatives q.s 100 mL

INDICATIONS:
Shampoo and Spray: Aid in controlling itching and inflammation caused by skin irritation in cases of dermatitis, allergies, and/or insect bites. It combines the effect of a topical anesthetic with the antipruritic effect of oats, while simultaneously hydrating (D-panthenol), restructuring (ceramide III), and reducing inflammation (alpha-bisabolol) of the stratum corneum.

APPLICATION:
Shampoo: Wet the animal's coat and apply a sufficient amount of shampoo, rubbing until a rich lather forms. Leave on for 5 to 10 minutes and rinse. Repeat twice a week until clinical signs subside.
Spray: Spray the product, parting the hair against the grain from a distance of approximately 10 cm, ensuring the solution makes contact with the skin. Apply twice daily for 6 weeks or until clinical signs subside. Afterwards, continue treatment as directed by your veterinarian.

PRESENTATION:
Shampoo: 350 ml container
Spray: 120 mL container with atomizer

ADMINISTRATION:
Topical.

Omegaderm®

Registration number Q-4196-256



Shampoo
Moisturizing and antipruritic shampoo for dogs and cats

FORMULA:
Each 100 mL contains:
Borage oil 3 g, argan oil 3g, D-panthenol 3g, vehicle q.s.100 mL

INDICATIONS:
A moisturizing and antipruritic cream with a high fatty acid content, indicated for dermatological conditions characterized by dry, irritated, and/or flaky skin. It contains a moisturizing complex that hydrates and controls dryness and inflammation in cases of flea dermatitis or eczema. Regular use restores the skin and coat's natural protective lipids. It can be used as a complement to other dermatological medications.

APPLICATION:
Wet the animal's fur and apply a sufficient amount of shampoo, rubbing until a rich lather forms. Leave on for 5 minutes and rinse.
Apply the product at intervals of 8 to 15 days or as frequently as indicated by the Veterinarian.

PRESENTATION:
Shampoo: 350 mL container

ADMINISTRATION:
Topical.

Bactoderm®

Registration number Q-4196-070



Shampoo
Antibacterial, antiseborrheic and keratolytic shampoo for dogs and cats.

FORMULA:
Each 100 mL contains:
Benzoyl peroxide 3 g, wetting complex and vehicle q.s 100 mL

INDICATIONS:
Treatment of dermatological diseases such as: pyoderma, seborrhea, canine acne, folliculitis and impetigo. **Bactoderm®** acts as an antibacterial, antiseborrheic, keratolytic, antipruritic, and hair follicle exfoliant.
Useful as an aid in treating mange.

APPLICATION:
Wet the animal's fur and apply a sufficient amount of shampoo, rubbing until a rich lather forms. Leave on for 5 minutes and rinse.
Repeat 2 to 3 times per week and subsequently every week or as frequently as indicated by the veterinarian.

PRESENTATION:
350 mL container

ADMINISTRATION:
Topical.

Aller-Sek®

Authorization number Q-4196-234



Hypoallergenic **shampoo** for dogs with atopic dermatitis or pH imbalance and oily secretions. For dogs and cats

FORMULA:

Each 100 mL contains:

Polysaccharides and lipoamino acids (capryloyl glycine-xy-lythylglucoside-hexylene glycol) 3%, surfants (sodium olefin sulfonate, cocamidopropyl betainamide MEA, alkylpolyglucosides) 15% ceramides, 1% glycerin, 1% vehicle q.s. 100 mL.

INDICATIONS:

Hypoallergenic and moisturizing shampoo for frequent use, helps maintain the integrity of the skin barrier and the natural microbial balance in allergic dogs and cats with hypersensitive or atopic skin.

APPLICATION:

Wet the animal's coat and apply a sufficient amount of shampoo until a rich lather forms. Leave on for 5 to 10 minutes and rinse. Apply the product 2 to 3 times per week at the beginning of treatment to restore the skin's pH, and subsequently use as frequently as necessary or as directed by the veterinarian.

PRESENTATION:

250 mL container.

ADMINISTRATION:

Topical.

Foliplex®

Authorization number Q-4196-224



Shampoo

Stimulating and regenerating anti-hair loss treatment for dogs and cats

FORMULA:

Each 100 mL contains:

Trichogen® 5 g, tea tree oil 1 g, alpha-bisabolol 1 g, vehicle q.s. 100 mL.

INDICATIONS:

A stimulating aid for hair growth, it prevents hair loss and restructures the follicle, slowing hair thinning.

Its phytosynthetic complex (Trichogen®) combined with an anti-inflammatory (Alpha-bisabolol) and an antiseptic (Tea tree oil) regulates sebum production and improves circulation

APPLICATION:

Wet the animal's coat and apply enough shampoo to create a rich lather. Leave on for 5 to 10 minutes and rinse. Apply the product 1 to 2 times per week or as directed by your veterinarian.

PRESENTATION:

250 mL container.

ADMINISTRATION:

Topical.

Oatmeal®



Shampoo

Moisturizing, anti-inflamatory and antipruritic for dogs and cats

FORMULA:

Each 100 mL contains:

Avena sativa liquid extract 2 g, D-panthenol 1 g, alpha-bisabolol 0.5 g, vehicle q.s.100 ml

INDICATIONS:

Moisturizing shampoo, helps control dryness, flaking and inflammation in cases of atopic dermatitis and sensitive skin with signs of irritation and itching, reducing the lesions that dogs and cats can cause by scratching continuously.

Avena sativa extracts and alpha-bisabolol (derived from chamomile) promote the restoration of the skin barrier.

APPLICATION:

Wet the animal's coat and apply a sufficient amount of shampoo, rubbing until a rich lather forms. Leave on for 5 minutes and rinse. Apply the product 2 to 3 times per week or as directed by your veterinarian.

PRESENTATION:

250 ml container.

ADMINISTRATION:

Topical.

Rx Dermoplex® Cream

Registration number Q-4196-202



Cream
Antibiotic, anti-inflammatory, antifungal, antiallergic, antipruritic, anesthetic cream for dogs and cats

FORMULA:
Each 100 mL contains:
Neomycin sulfate 0.3 g, zinc bacitracin 50 000 IU, dexamethasone acetate 0.05 g, benzocaine 1 g, clotrimazole 1 g, vitamin A palmitate 1 020 IU, excipient q.s. 100 g

INDICATIONS:
Antimicrobial, anti-inflammatory, antipruritic, anesthetic, and antifungal agent indicated for dermatological conditions such as acute or chronic otitis, lesions where itching needs to be relieved, dermatitis (non-viral and non-tuberculous), tinea, and eczema. With emollient and healing properties.

APPLICATION:
Apply a small amount (a thin film) to the affected area after cleaning it. In case of otitis, apply a small amount of cream to the ear with a cotton swab and massage the base of the ear. Suggested treatment period is 8 to 10 days or as directed by your veterinarian.

PRESENTATION:
Box with 60 g tube

ADMINISTRATION:
Topical.

Toplex® Ointment

Registration number Q-4196-173



Ointment Topical antiseptic and bactericide for dogs, cats, and horses

FORMULA:
Each 100 mL contains:
Nitrofurazone 0.2 g, excipient q.s. 100 g

INDICATIONS:
Water-soluble topical antiseptic and bactericide for the prevention and treatment of superficial skin infections caused by gram-positive and gram-negative bacteria susceptible to the action of nitrofurazone. Useful in cases of burns, wounds, abrasions and skin ulcers.

APPLICATION:
Apply to the affected area, covering with gauze daily for 3 to 5 days. The dressing can be changed during the day or not, but product should remain on the wound for at least 24 hours or for the number of days indicated by the veterinarian. As it is water-soluble, it does not interfere with healing. Apply with gloves directly to the affected area or apply onto a gauze pad and place on the wound.

PRESENTATION:
Box with 60 g tube.

ADMINISTRATION:
Topical.

Hydro-Skin®

Registration number Q-4196-268



Soap Antimicrobial, keratolytic, antipuritic and moisturizing **soap** for dogs and cats

FORMULA:
Each 100 g contains:
Trichlorocarbanilide 1 g, allantoin 1 g, chamomile extract 1 g, aloe vera extract 1 g, oat 1.5 g, salicylic acid 1.5 g, excipient q.s. 100 g.

INDICATIONS:
Dermatological soap with antimicrobial, keratolytic, healing, anti-inflammatory, antipruritic, and moisturizing properties, made with natural ingredients. Recommended as an aid in the treatment of skin conditions such as fungal infections, seborrhea, dermatitis, acne, eczema, and pyoderma

APPLICATION:
Wet the animal's coat and apply the soap, gently rubbing until a rich lather forms. Leave the lather on for 10 minutes and rinse thoroughly with warm water.
Repeat the treatment every three days and subsequently every 8 to 15 days, or as directed by your veterinarian.

PRESENTATION:
Box with 100 g soap bar

ADMINISTRATION:
Topical.

Canomune DHL

registration number B-4196-003



Injectable suspension of inactivated viruses and bacteria

FORMULA:

Each 1 mL dose contains:
Suspension of inactivated viruses and bacteria; Distemper Rockborn strain, infectious hepatitis Cornell strain, and Leptospira serotypes canicola and icterohemorrhagic.
Minimum viral titer before inactivation: Canine distemper Rockborn strain inactivated, 102.5 DICC/50%
Inactivated Cornell strain canine infectious hepatitis,
103.0 DICC50%
Inactivated Leptospira canicola 8 million CFU; Inactivated Leptospira icterohaemorrhagica 8 million CFU. Adjuvant and preservatives added.

INDICATIONS:

Immunization against canine distemper, infectious canine hepatitis, and canine leptospira.

DOSAGE:

Administer 1 mL starting at 9 to 12 weeks of age, with revaccination every 14 to 21 days.
Annual revaccination is recommended for adult dogs.

PRESENTATION:

Box with 12 single-dose vials (1 mL)

ADMINISTRATION:

Intramuscular or subcutaneous

Canomune® Puppy DP

Registration number B-4196-013



Vaccine Lyophilized vaccine, modified live virus vaccine

FORMULA:

Each vial of reconstituted lyophilized powder contains: Modified live canine distemper virus, Lederle strain, minimum 103.5 IUCN 50%/mL.
Modified live canine parvovirus type 2 virus, Cornell strain, minimum 104 IUCN 50%/mL.
Stabilizer and preservatives added.
Diluent: 1 mL of sterile water.

INDICATIONS:

Immunization against canine distemper and canine parvovirus.

DOSAGE:

1 mL Starting at 6 weeks of age, with revaccination every 14 to 21 days. Annual revaccination is recommended for adult dogs.

PRESENTATION:

Box with 12 doses (12 vials with lyophilized powder and 12 vials with sterile diluent).

ADMINISTRATION:

Intramuscular or subcutaneous.

Canomune® Puppy DHA2P

Registration number B-4196-014



Vaccine Lyophilized vaccine, modified live virus vaccine

FORMULA:

Each vial of reconstituted lyophilized powder contains: Modified live canine distemper virus Lederle strain, minimum 102.5 IUCN.
Modified live canine parvovirus type 2 Cornell strain, minimum 102.5 IUCN.
Modified live attenuated canine adenovirus type 2 strain CAV2, minimum 102.5 IUCN. Stabilizer and preservatives added.

INDICATIONS:

Immunization against Canine Distemper, Canine Infectious Hepatitis, Canine Adenovirus Type 2, and Canine Parvovirus.

DOSAGE:

1 mL starting at 6 weeks of age, with revaccination every 14 to 21 days. Annual revaccination is recommended for adult dogs.

PRESENTATION:

Box with 12 doses (12 vials with lyophilized powder and 12 vials with sterile diluent)).

ADMINISTRATION:

Intramuscular or subcutaneous.



High Technology

for the production of Biologics

Canomune Puppy DHA2PPi

Registration number B-4196-010



Vaccine Lyophilized vaccine, modified live virus vaccine

FORMULA:

Each vial of reconstituted lyophilized powder contains: Modified live canine distemper virus Lederle strain, minimum 102.5 IUCN.
Modified live canine parvovirus type 2 Cornell strain, minimum 102.5 IUCN.
Modified live attenuated canine adenovirus type 2 CAV2 strain, minimum 102.5 IUCN.
Modified live canine parainfluenza virus, Cornell strain, minimum 102.5 IUCN.
Stabilizer and preservatives added.

INDICATIONS:

Immunization against Canine Distemper and Canine Parvovirus, Canine Adenovirus Type 2, Canine Infectious Hepatitis and Canine Parainfluenza.

DOSAGE:

1 mL starting at 6 weeks of age, with revaccination at intervals of 14 to 21 days. Annual revaccination is recommended for adult dogs.

PRESENTATION:

Box with 12 doses (12 vials with lyophilized powder and 12 vials with sterile diluent).

ADMINISTRATION:

Intramuscular or subcutaneous.

Canomune® DHA2PPi+L4

Registration number B-4196-016



Vaccine Lyophilized vaccine with modified live viruses and inactivated bacteria

FORMULA:

Each vial of reconstituted lyophilized powder contains: Modified live canine distemper virus, Lederle strain, minimum 102.5 IUCN 50%/mL.
Modified live canine parvovirus type 2 Cornell strain, minimum 102.5 IUCN 50%/mL.
Modified live canine adenovirus type 2 virus attenuated CAV2 strain, minimum 102.5 IUCN 50%/mL.
Modified live canine parainfluenza virus, Cornell strain, minimum 102.5 IUCN 50%/mL.
Bacterin:
Each 1 mL dose contains:
Leptospira interrogans serotype canicola inactivated titer 2.5×10 bacteria/mL (minimum).
Leptospira interrogans serotype icterohaemorrhagiae inactivated titer 2.5×10 bacteria/mL (minimum).
Leptospira interrogans serotype pomona inactivated titer 2.5×10 bacteria/mL (minimum).
Leptospira interrogans serotype grypoptyphosa inactivated titer 2.5×10 bacteria/mL (minimum).
Stabilizer and preservatives added.

INDICATIONS:

Active immunization against canine distemper, canine parvovirus, canine parainfluenza, canine adenovirus type 2, canine infectious hepatitis, and canine leptospirosis.

DOSAGE:

1 mL starting at 10 to 12 weeks of age, revaccinating at an interval of 14 to 21 days. Annual revaccination is recommended for adult dogs.

PRESENTATION:

Box with 12 doses (12 vials with lyophilized powder and 12 vials with bacterin).

ADMINISTRATION:

Intramuscular or subcutaneous.

Rabimune®

Registration number B-4196-001



Suspension Injectable suspension of inactivated virus

FORMULA:

Each 1 mL dose contains:
Inactivated Rabies virus suspension strain CVS-27 minimum potency 1.0 IU/mL
Adjuvant and preservatives added.

INDICATIONS:

Immunization of dogs and cats against rabies.

DOSAGE:

1 mL from 3 months of age, revaccinating annually.

PRESENTATION:

Box with 12 single-dose vials. (1 mL).

ADMINISTRATION:

Intramuscular or subcutaneous.

Coronamune-P®

Registration number B-4196-006



Suspension Injectable suspension of inactivated viruses and modified active viruses

FORMULA:

Each 1 mL dose contains:

Suspension of inactivated Canine Coronavirus strain K-378-ccv/51 virus and modified live Canine Parvovirus type 2 Cornell strain.
Minimum viral titer before inactivation: Canine parvovirus type 2 Cornell strain, 102.5 CCID/50% Canine Coronavirus K-378-ccv/51 strain, 103.0 DICC/50%
Adjuvant and preservatives added.

INDICATIONS:

Active immunization of healthy dogs against hemorrhagic gastroenteritis caused by canine coronavirus and parvovirus.

DOSAGE:

1 mL from 8 weeks of age, revaccinating at an interval of 21 days.
Annual revaccination is recommended for adult dogs.

PRESENTATION:

Box with 12 single-dose vials (1 mL).

ADMINISTRATION:

Intramuscular or subcutaneous.

Parvomune®

Registration number B-4196-002



Suspension Modified active parvovirus injectable suspension

FORMULA:

Each 1 mL dose contains:

Modified live virus suspension of canine parvovirus type 2 Cornell strain, minimum 102.5 TCID50
Preservatives added.

INDICATIONS:

Immunization against canine parvovirus.

DOSAGE:

1 mL from 8 weeks of age, revaccinating at an interval of 21 days.
Annual vaccination is recommended for adult dogs.

PRESENTATION:

Box with 12 single-dose vials (1 mL).

ADMINISTRATION:

Intramuscular or subcutaneous.



Rx Canoplex® Calcium



Tablets Supplement for dogs and cats with calcium, phosphorus, vitamin K and minerals

FORMULA:
Each tablet contains:
Calcium 500 mg, **phosphorus** 250 mg, **vitamin K** 220 mcg, **magnesium** 1.3 mg, **manganese** 120 mcg, **zinc** 10 mg, **copper** 300 mcg **Excipient q.s. 1 tablet**

INDICATIONS:
Nutritional supplement with calcium and phosphorus, fortified with vitamin K and minerals, for deficiencies in ingredients contained in the formula.

DOSAGE:
Dogs and cats:
1/2 tablet per 5 kg of body weight.
1 tablet per 10 kg of body weight.
2 tablets per 20 kg of body weight.
Every 24 hours for 30 days.
The dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Container with 30 tablets.

ADMINISTRATION:
Oral.

Rx Canoplex® Ages



Tablets Supplement for dogs with omega 6 fatty acids, omega 3 and collagen

FORMULA:
Each tablet contains:
Omega-6 fatty acids (linoleic acid) 197.8 mg, **omega-3** fatty acids (EPA and DHA) 42 mg, **hydrolyzed collagen** 100 mg
Excipients: vitamin C, vitamin E, vitamin B1, vitamin B2, vitamin B6, vitamin B12, niacin, choline, pantothenic acid, vitamin K1, calcium, phosphorus, copper, iron, chloride, magnesium, manganese, selenium, zinc, iodine, sodium, potassium and synthetic flavorings, q.s. 1 tablet

INDICATIONS:
Nutritional supplement of omega 6 and omega 3 fatty acids (5:1), fortified with collagen, vitamins and minerals.
Helpful in improving the health and beauty of skin and hair.

DOSAGE:
Dogs:
½ tablet for each 5 kg of body weight.
tablet or each 10 kgs of body weight.
tablets for each 20 kg of body weight. Every 24 hr for 30 days.
Dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Container with 30 tablets.

ADMINISTRATION:
Oral.

Rx Canoplex® Jr



Tablets Supplement for dogs with vitamins, minerals, prebiotics and omega 3 fatty acids

FORMULA:
Each tablet contains:
Inulin 250 mg, **omega-3** fatty acids (DHA and EPA) 10.9 mg
Excipients: Vitamin A, vitamin E, vitamin C, vitamin B1, vitamin B2, vitamin B6, vitamin B12, niacin, choline, pantothenic acid, vitamin K1, calcium, phosphorus, copper, iron, chloride, magnesium, manganese, selenium, zinc, iodine, sodium, potassium and synthetic flavorings, q.s. 1 tablet.

INDICATIONS:
Vitamin and mineral supplement with prebiotics and essential omega-3 fatty acids (DHA, EPA). Supports the growth of dogs.

DOSAGE:
Dogs:
½ tablet for every 5 kg of body weight.
1 tablet for every 10 kg of body weight.
2 tablets for every 20 kg of body weight.
Every 24 hours, for 30 days.
Dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Container with 30 tablets.

ADMINISTRATION:
Oral.

Rx Cartiplex®

Registration number Q-4196-267



Tablets Chondroprotective and antioxidant with chondroitin and glucosamine

FORMULA:

Each tablet contains:
Glucosamine hydrochloride 500 mg, **Chondroitin sulfate** 200 mg, **Methyl sulfonyl methane** (MSM) 200 mg
Excipients: hyaluronic acid, hydrolyzed collagen, omega 3 fatty acids (EPA and DHA), vitamin A, vitamin D3, vitamin E, vitamin C, vitamin B1, vitamin B2, vitamin B6, vitamin B12, niacin, biotin, choline, folic acid, pantothenic acid, vitamin K1, calcium, phosphorus, copper, iron, chloride, magnesium, manganese, selenium, zinc, iodine, sodium, potassium and natural flavorings, q.s. 1 tablet.

INDICATIONS:

A chondroprotective supplement with chondroitin and glucosamine to prevent and treat degenerative joint problems, fortified with vitamins, minerals, and antioxidants important in the biological process of regeneration of articular cartilage and bone tissue. Helps reduce inflammation and pain in diseases such as arthritis and osteoarthritis. Its analgesic effect is due to its content of fatty acids, MSM, and antioxidants. It is recommended for dogs with physical wear and tear and for adult dogs with joint problems.

DOSAGE:

Dogs and cats:
½ tablet for every 5 kg of body weight.
1 tablet for every 10 kg of body weight.
2 tablets for every 20 kg of body weight. Every 24 hours for 30 days.
Dosage may be modified at the veterinarian's discretion.

PRESENTATION:

Container with 30 and 60 tablets.

ADMINISTRATION:

Oral.

Rx Geriaplex®



Tablets Supplement for dogs with vitamins, minerals, MSM, omega 3 fatty acids, omega 6 fatty acids and amino acids

FORMULA:

Each tablet contains:
Methylsulfonylmethane (MSM) 250 mg, **omega 3** fatty acids (EPA and DHA) 25.4 mg, **omega 6** fatty acids (linoleic acid) 9.92 mg
Excipients: vitamin A, vitamin E, vitamin C, vitamin B1, vitamin B2, vitamin B6, vitamin B12, niacin, choline, pantothenic acid, vitamin K1, calcium, phosphorus, copper, iron, chloride, magnesium, manganese, selenium, zinc, iodine, sodium, potassium, aspartic acid, glutamic acid, serine, histidine, glycine, threonine, alanine, arginine, tyrosine, cystine, valine, methionine, phenylalanine, isoleucine, leucine, lysine, proline and synthetic flavorings, q.s. 1 tablet.

INDICATIONS:

Vitamin and mineral supplement with methylsulfonylmethane (MSM), essential omega-3 and omega-6 fatty acids, and amino acids. For dogs over 7 years old.

DOSAGE:

Dogs:
½ Tablet for every 5 kg of body weight.
1 Tablet for every 10 kg of body weight.
2 Tablets for every 20 kg of body weight. Every 24 h, for 30 days.
Dosage may be modified at the veterinarian's discretion.

PRESENTATION:

Container with 30 tablets.

ADMINISTRATION:

Oral.

Rx Dermoplex® Ages



Tablets Supplement for dogs with omega 3 fatty acids, zinc and vitamin E

FORMULA:

Each tablet contains:
Omega 3 fatty acids (EPA, DHA) 92 mg, **zinc** 10 mg, **vitamin E** 40 IU
Excipients: vitamin A, vitamin B1, vitamin B2, vitamin B6, vitamin B12, niacin, choline, pantothenic acid, vitamin K1, calcium, phosphorus, copper, iron, chloride, magnesium, manganese, selenium, iodine, sodium, potassium and synthetic flavorings, q.s. 1 tablet.

INDICATIONS:

Vitamin and mineral supplement with omega-3 fatty acids, for deficiencies in the elements contained in the formula. For healthier skin.

DOSAGE:

Dogs
½ tablet for every 5 kg of body weight.
1 tablet for every 10 kg of body weight.
2 tablets for every 20 kg of body weight.
Every 24 h, for 30 days.
Dosage may be modified at the veterinarian's discretion.

PRESENTATION:

Container with 30 tablets.

ADMINISTRATION:

Oral.

NUTRITIONAL LINE

Rx Nutriplex® Gel



Gel Supplement for dogs and cats with omega 3 and omega 6 fatty acids

FORMULA:
Each Tablet contains:
Calcium 2.01 mg, **phosphorus** 1.005 mg, **potassium** 0.75 mg, **sodium** 1.63 mg, **magnesium** 10.82 mg, **iron** 0.62 mg, **manganese** 3.03 mg, **vitamin A** 3.00 mg, **vitamin E** 0.01 mg, **Vitamin B1** (thiamine) 1.78 mg, **Vitamin B2** (riboflavin) 0.01 mg, **Vitamin B3** (niacin) 2.21 mg, **vitamin B5** (calcium pantothenate) 2.03 mg, **vitamin B6** (pyridoxine) 0.86 mg, **vitamin B12** (cyanocobalamin) 2.0 µg Fortified with **omega 3** fatty acids (EPA and DHA) and **omega 6** fatty acids Excipients q.s. 6 g

INDICATIONS:
A high-calorie supplement that is easy to administer due to its palatability. Recommended for animals requiring extra energy, vitamins, minerals, and omega-3 and omega-6 fatty acids.

DOSAGE:
As a dietary supplement: administer 1.5 to 2 tablespoons per 5 kg of body weight daily.
As an energy supplement: administer 3 tablespoons per 5 kg of body weight daily.
One tablespoon is equivalent to 6 g.
Dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Box with 120 g tube.

ADMINISTRATION:
Oral.

HEALTH AND BEAUTY LINE

Lassy® Insecticide Shampoo

RSCO-PEC-INAC-119-332-315-0.025



Insecticide and acaricide against fleas, lice, ticks and mites in dogs

FORMULA:
Deltamethrin: (S)-α-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropane-carboxylate: 0.025% (0.250 g/L at 25°C).
Conditioners and fragrance: 99.975%
Total: 100%

INDICATIONS:
Residual insecticide and repellent against fleas (***Ctenocephalides*** sp.), mites (***Sarcoptes scabiei***), lice (***Trichodectes canis*** and ***Felicola subrostratus***) and ticks (***Amblyomma*** sp., ***Rhipicephalus*** sp.).

APPLICATION:
Wet the animal's coat and apply the shampoo, gently massaging until a rich lather forms. Leave the lather on for a few minutes and rinse thoroughly with warm water. Repeat if necessary. Dry the animal's coat and brush until the desired shine is achieved. Repeat the bath every 8 to 15 days as needed. This product poses no risk to the animal when administered as directed.

PRESENTATION:
350 mL container.

ADMINISTRATION:
Topical.

Lassy® Medicated Shampoo

Registration number
Q-4196-223



Antiseborrheic, keratolytic, antipruritic shampoo for dogs

FORMULA:
Each 100 mL contains:
Sulfur 2 g, salicylic acid 2 g, conditioners and flavorings q.s. 100 mL

INDICATIONS:
Keratolytic and bacteriostatic dermo cleanser indicated for removing flakes, dandruff, crusts, and skin secretions associated with seborrhea. Treatment of pruritic dermatitis, oily skin, and hair loss in dogs.

APPLICATION:
Wet the animal's fur and apply a sufficient amount of shampoo, gently rubbing until a rich lather forms. Leave the lather on the fur for 10 minutes, then rinse, preferably with warm water. Dry the animal's fur and brush.
Apply the shampoo 2 to 3 times per week, until the clinical signs subside, then every 4 weeks to avoid relapse.

PRESENTATION:
350 mL container.

ADMINISTRATION:
Topical.

Versión en revisión

Lassy® Neutral Shampoo

Authorization number
Q-4196-233



Deodorant, moisturizer and conditioner for dogs

FORMULA:
Each 100 mL contains:
Shampoo base with conditioning agents, moisturizers (aloe vera) and fragrances q.s. 100 mL

INDICATIONS:
Neutral, moisturizing shampoo for frequent use, designed to cleanse and condition the coat of dogs and cats with normal, dry, or sensitive skin. It enhances the coat's natural color, adding shine and silkiness, and keeping it lustrous and healthy.

APPLICACTION:
Wet the animal's coat and apply a sufficient amount of shampoo, gently massaging until a rich lather forms. Rinse and repeat for better conditioning. Dry the animal's coat and brush.

PRESENTATION:
350 mL container.

ADMINISTRATION:
Topical.

Lassy Insecticidal Soap

RSCO-PEC-INAC-1011-308-323-0.025



Insecticide and acaricide against fleas, lice, ticks and mites in dogs

FORMULA:
Each 100 mL contains:
Active ingredient: pyrethrin 0.025% (equivalent to 0.25 g/kg)
Inert ingredients: piperonyl butoxide 0.25% (equivalent to 2.50 g/kg synergist) and saponified fats 99.725%
Total: 100%

INDICATIONS:
Insecticide and acaricide for external use indicated for eradication of fleas (***Ctenocephalides*** sp.), ticks (***Amblyomma*** sp., ***Rhipicephalus*** sp.), lice (***Trichodectes canis*** and ***Felicola subrostratus***) and mites (***Sarcoptes scabiei***).

APPLICATION:
Wet the animal's fur and apply the soap, rubbing gently until a rich lather forms. Keep the fur soaped for a few minutes and rinse thoroughly with warm water. If necessary, repeat, dry the animal's hair and brush it until it achieves the desired softness and shine.
Repeat the bath at intervals of 8 to 15 days as required.
Presents no risks to the animal when administered as directed.

PRESENTATION:
Box with 100 g soap bar.

ADMINISTRATION:
Topical.

Lassy® Medicated Soap

Registration number Q-4196-222



Antiseborrheic, keratolytic, antipruritic for dogs

FORMULA:
Each 100 mL contains:
Sulfur 5 g, zinc undecylenate 3 g, saponified fat cbp 100 g

INDICATIONS:
Helpful in treating skin diseases: fungal, bacterial, scabies, dermatitis, eczema. **Controls seborrhea and its effects**: oily skin, itching and hair loss.
Keeps the skin and hair of dogs clean and in good condition.

APPLICATION:
Wet the animal's coat and apply the soap, gently rubbing until a rich lather forms. Leave the lather on for a few minutes and rinse thoroughly with warm water. Repeat if necessary. Dry the animal's coat and brush it until it achieves the desired softness and shine. Apply 2 to 3 times per week as initial therapy for 4 weeks, then once a month to prevent reinfection.

PRESENTATION:
Box with 100 g soap bar

ADMINISTRATION:
Topical.



Versión en revisión

HEALTH AND BEAUTY LINE

Lassy® Multivitamin



Supplement for dogs and cats with vitamins, minerals, omega 6 and omega 3 fatty acids and amino acids

FORMULA:

Each tablet contains:
Vitamin A 1320 IU, **Vitamin E** 40 IU, **Vitamin B6** 704 mcg, **Vitamin B12** 22 mcg
Excipients: Vitamin B1, Vitamin B2, Niacin, Choline, Pantothenic Acid, Vitamin K1, Calcium, Phosphorus, Copper, Iron, Chloride, Magnesium, Manganese, Selenium, Zinc, Iodine, Sodium, Potassium, Omega-6 Fatty Acids (Linoleic Acid), Omega-3 Fatty Acids (EPA and DHA), Aspartic Acid, Glutamic Acid, Serine, Histidine, Glycine, Threonine, Alanine, Arginine, Tyrosine, Cystine, Valine, Methionine, Phenylalanine, Isoleucine, Leucine, Lysine, Proline, and Synthetic Flavorings, q.s. 1 tablet.

INDICATIONS:

Vitamin and mineral supplement with essential fatty acids omega 6, omega 3 and amino acids, for deficiencies of the ingredients contained in the formula at all stages of the patient's life.

DOSAGE:

Dogs and cats:
½ tablet for every 5 kg of body weight.
1 tablet for every 10 kg of body weight.
2 tablets for every 20 kg of body weight.
Every 24 h, for 30 days.
During periods of pregnancy and breastfeeding, double the dose.
The dose may be modified at the veterinarian's discretion.

PRESENTATION:

Container with 30 tablets.

ADMINISTRATION:

Oral.

Gastric line

Rx Gastroplex®

Registration number Q-4196-276, Q-4196-277



Tablets Antiacid-anti-ulcer for dogs

FORMULA:

Each tablet contains:
5 mg: Omeprazole 5 mg, excipient q.s. 1 tablet.
20 mg: Omeprazole 20 mg, excipient q.s. 1 tablet.

INDICATIONS:

Proton pump inhibitor; helpful in the short- and long-term treatment and prevention of signs associated to peptic acid disorders: esophagitis, erosive gastritis, gastric and duodenal ulcers.

DOSAGE:

General dose:
1.0 mg per kg of body weight every 12 or 24 h.
Rx Gastroplex 5 mg
1 tablet per 5 kg of body weight (equivalent to 5 mg of omeprazole per 5 kg of body weight), every 12 or 24 hours, for a maximum of 8 weeks.
Rx Gastroplex 20 mg
1 tablet per 20 kg of body weight (equivalent to 20 mg of omeprazole for every 20 kg of body weight), every 12 or 24 hours, for a maximum of 8 weeks.
In infections caused by **Helicobacter pylori**, **Rx Gastroplex® Omeprazole** can be administered in combination with metronidazole or amoxicillin, as directed by the veterinarian.

PRESENTATION:

Box with blister containing 30 tablets of 5 to 20 mg.

ADMINISTRATION:

Oral.



Versión en revisión

Rx Relaxicam

Registration number Q-4196-161 (Relaxicam 1.0)
Registration number Q-4196-162 (Relaxicam 2.5)
Registration number Q-4196-163 (Relaxicam 4.0)



Tablets Non-steroidal anti-inflammatory for dogs and cats

FORMULA:
Each tablet contains:
Meloxicam 1.0, 2.5 and 4.0 mg, excipient q.s. 1 tablet

INDICATIONS:
Non-steroidal anti-inflammatory drug, indicated for the treatment of pain and inflammation, useful in cases of acute and/or chronic arthritis, as well as osteoarthritis (degenerative joint disease) and as an analgesic in cases of trauma and inflammatory processes of soft tissues (airways), gynecological and otic conditions.

DOSAGE:
Rx Relaxicam® 1.0 mg
Dogs: 1 tablet per every 5 kg of body weight (0.2 mg/kg) every 24 h.
Cats: 1 tablet per every 3.3 kg of body weight (0.3 mg/kg) every 24 h.
Rx Relaxicam® 2.5 mg
Dogs: 1 tablet per every 12.5 kg of body weight (0.2 mg/kg) every 24 h.
Cats: 1 tablet per every 8.3 kg of body weight (0.3 mg/kg) every 24 h.
Rx Relaxicam® 4.0 mg
Dogs: 1 tablet per every 20 kg of body weight (0.2 mg/kg) every 24 h.
Cats: 1 tablet per every 13.3 kg of body weight (0.3 mg/kg) every 24 h.
It is suggested to continue maintenance treatment with 0.1 mg/kg orally every 24 hours24.
Do not use on pregnant or lactating females.

PRESENTATION:
Box with 30 tablets of 1.0, 2.5 and 4.0 mg.

ADMINISTRATION:
Oral.

Rx Relaxicam®

Registration number Q-4196-222



Suspension Non-steroidal anti-inflammatory oral suspension for dogs and cats

FORMULA:
Each mL contains:
Meloxicam 1.5 mg, vehicle q.s. 1 mL

INDICATIONS:
Non-steroidal anti-inflammatory drug, indicated for the treatment of pain and inflammation, useful in cases of acute and/or chronic arthritis, as well as osteoarthritis (degenerative joint disease) and as an analgesic in cases of trauma and inflammatory processes of soft tissues (airways), gynecological and otic conditions.

DOSAGE:
One drop contains 0.05 mg of Meloxicam:
Dogs: 4 drops per kg (0.2 mg/kg) every 24 h.
Cats: 6 drops per kg (0.3 mg/kg) every 24 h.
Oral suspension form can be administered to animals weighing less than 5 kg or when more precise dosing is required.

PRESENTATION:
Box with 10 mL container.

ADMINISTRATION:
Oral.

Rx Condroprodyl®

Registration number Q-4196-155 (25 mg)
Registration number Q-4196-157 (75 mg)
Registration number Q-4196-158 (100 mg)



Tablets Non-steroidal anti-inflammatory tablets for dogs

FORMULA:
Each tablet contains:
Meloxicam 1.0, 2.5 and 4.0 mg, excipient q.s. 1 tablet

INDICATIONS:
Nonsteroidal anti-inflammatory drug (NSAID) with analgesic and antipyretic properties. Effective for relieving symptoms associated with osteoarthritis, and for managing post-surgical, orthopedic, and soft tissue pain.

DOSAGE:
Rx Condroprodyl® 25 mg: 1 tablet for every 6 kg of body weight once a day or ½ tablet every 12 h.
Rx Condroprodyl® 75 mg: 1 tablet for every 18.75 kg of body weight once a day or ½ tablet every 12 h.
Rx Condroprodyl® 100 mg: 1 tablet for every 25 kg of body weight once a day or ½ tablet every 12 h.
During maintenance phase, maintain a dose of 2 mg/kg daily.
Do not use on cats or pregnant or lactating females.

PRESENTATION:
Box with 20 tablets of 25, 75 and 100 mg.

ADMINISTRATION:
Oral.

ANTI-INFLAMATORY AND ANALGESIC LINE

Tramaplex®

Registration number Q-4196-228



Solution Oral analgesic solution for dogs and cats

FORMULA:
Each tablet contains:
Tramadol hydrochloride 100 mg, vehicle q.s. 1 mL

INDICATIONS:
Opioid analgesic indicated for treatment of moderate to severe pain of various etiologies in dogs and cats.

DOSAGE:
General dose for dogs and cats:
1 to 3 mg/kg of body weight every 8 or 12 hours, not exceeding a maximum of 10 mg/kg of body weight in 24 hours.
Rx Tramalpex® Dogs and cats:
To dose 1 mg/kg, administer 1 drop (5 mg) per 5 kg of body weight.
To dose 2 mg/kg, administer 1 drop (5 mg) per 2.5 kg of body weight.
To dose 3 mg/kg, administer 1 drop (5 mg) per 1.65 kg of body weight.
Continue maintenance treatment with a dose of 0.1 mg/kg per day orally every 24 hours. Do not use on pregnant or lactating females.

PRESENTATION:
Box with 10 mL dropper.

ADMINISTRATION:
Oral.

Predni-Care®

Registration number Q-4196-265



Tablets steroidal anti-inflammatory tablets for dogs and cats

FORMULA:
Each tablet contains:
Prednisolone 20 mg, excipient q.s.1 tablet

INDICATIONS:
Steroidal anti-inflammatory drug for symptomatic treatment of inflammatory processes, autoimmune diseases, or as an aid in cases of neoplasia.
Dermatology: allergic dermatitis and eczema.
Musculoskeletal disorders: myositis, bursitis, tendinitis, and osteoarthritis.
Respiratory system: bronchial asthma, bronchitis and laryngitis.
Autoimmune diseases: anemia and pemphigus.

DOSAGE:
General dose:
0.2 to 6.6 mg per kilogram of body weight per day.
Predni-Care®
Dose 0.2 mg/kg: 1 tablet per every 100 kg of body weight.
Dose 0.4 mg/kg: 1 tablet per every 50 kg of body weight.
Dose 0.5 mg/kg: 1 tablet per every 40 kg of body weight.
Dose 1.0 mg/kg: 1 tablet per every 20 kg of body weight.
Dose 2.0 mg/kg: 1 tablet per every 10 kg of body weight.
Dose 4.0 mg/kg: 1 tablet per every 5 kg of body weight.
Dose 5.0 mg/kg: 1 tablet per every 4 kg of body weight.
The dosage may be modified at the veterinarian's discretion.

PRESENTATION:
Box with 10 tablets.

ADMINISTRATION:
Oral.

OTIC LINE

Ear Clean®

Registration number Q-4196-052



Solution Degreasing and antiseptic solution for dogs and cats

FORMULA:
Each mL contains:
Salicylic acid 2 mg, boric acid 8 mg, eucalyptus oil, surfactants, solvents and softeners q.s. 1 mL

INDICATIONS:
Otic cleaning solution for the removal of debris, dirt, secretions and excessive moisture accumulated in the external auditory canal of dogs and cats.

APPLICATION:
Prevention: Apply 3 to 5 mL of solution to each ear weekly to prevent infections and maintain a healthy ear canal.
In cases of infection: apply 3 to 5 mL of solution to the affected ear twice a day for 7 days or more, as determined by the veterinarian.

PRESENTATION:
120 mL spray bottle.

ADMINISTRATION:
Otic.

Otiplex® Plus

Registration number Q-4196-174



Suspension Treatment of otitis for dogs and cats

FORMULA:
Each mL contains:
Enrofloxacin 5 mg, thiabendazole 40 mg, dexamethasone 1 mg, silver sulfadiazine 10 mg, vehicle q.s.1 mL

INDICATIONS:
Otiplex® Plus is recommended for topical treatment of otitis externa in dogs and cats caused by bacteria, fungi, yeasts and mites susceptible to the contents of the formula.

APPLICATION:
Dogs weighing less than 15 kg: Apply 5 to 10 drops in the affected ear twice a day.
Dogs weighing more than 15 kg: Apply 10 to 15 drops in the affected ear twice a day.
Cats: Apply 5 to 10 drops in the affected ear twice a day.
This treatment should be administered for a period of 7 to 14 days depending on the severity of the infection and at the veterinarian's discretion.

PRESENTATION:
Box with 120 mL tube.

ADMINISTRATION:
Otic.

Versión en revisión

GI-Restore®

Authorization number A-4196-286



Dietary supplement for dogs with gastrointestinal mucosal damage, dysbiosis, gas overproduction and inflammation

FORMULA:

Each 12 grams contain:
L-glutamine 5 g ***Bacillus coagulans*** (Ganeden BC30)
1.3 x 10° CFU
Excipients: inulin, Aloe vera, inert ingredients q.s. 12 grams.

INDICATIONS:

Dietary supplement that helps manage gastrointestinal disorders, such as mucosal damage or leaky gut syndrome (caused by coccidiosis, parvovirus, NSAIDs, toxins, etc.), microbiome imbalance (due to antimicrobial use or infections), overproduction of gas, and inflammation of the gastrointestinal mucous membrane.
GI-Restore® promotes intestinal wall repair, microbiome restoration, and immune system optimization.

DOSAGE:

General dose:
L-glutamine: 0.5 g per kg of body weight per day 0.5
Bacillus coagulans: 1.3 x 10° CFU per patient per day.
GI-Restore®
Administer the contents of one sachet per 10 kg of body weight per day in a single dose or divided into 2 doses, mixing it into a small portion of food, either dry or wet, and ensure that the patient consumes it completely.
The dose may be modified at the veterinarian's discretion.
Further information is available by scanning the QR code on the box.

PRESENTATION:

Box with 10 sachets of 12 g.

ADMINISTRATION:

Oral.

Oti-Restore®



Biodegradable ear cleaning solution with botanical extracts, physiological pH

FORMULA:

Each 100 mL contains:
Calendula officinalis (calendula extract) 1%, althea officinalis (marshmallow extract) 1%, aloe vera 1%, menthol 0.02%, vehicle saline solution (NaCl 0.9%) q.s. 100 mL.

INDICATION:

Biodegradable ear cleaner for frequent use with a physiological pH that combines the cerumenolytic properties of saline solution and the moisturizing properties of plant-based ingredients. Its gentle, natural formula helps maintain optimal ear hygiene, preventing infections, inflammation, and unpleasant odors. Ideal for preventing relapse in animals prone to ear infections.

APPLICATION:

Apply to the ear canal.
Gently massage the base of the ear for one minute.
Clean the area with a clean gauze pad.
Step back and let the dog shake its head.
Perform this procedure on the patient's other ear.
The product should be applied 1 to 2 times per week. In very dirty ears, apply Oti-Restore® once a day for one week or as directed by your veterinarian.

PRESENTATION:

250 mL container.

ADMINISTRATION:

Otic.

Skin-Restore®



Solution Topical antiseptic solution with super oxidation, neutral pH

FORMULA:

Each 100 mL contains:
Hypochlorous acid (HOCl (HOCl) 0.027% Sodium chloride (NaCl) 0.950% Electrolyzed water 99.023%

INDICATION:

Natural antiseptic solution, broad spectrum (bacteria, fungi, viruses) helpful in the prevention and treatment of infections in wounds, ulcers, burns, abscesses, otitis, conjunctivitis and dental prophylaxis. Anti-inflammatory and cell-regenerating aid that promotes healing process.
It can also be used to disinfect and sterilize surgical instruments or areas that require it. Does not cause pain, burning, or irritation.

APPLICATION:

Wash the affected area with soap and water, then apply undiluted **Skin-Restore®** directly, completely covering the skin or mucous membrane to be treated. Repeat application three times a day or as directed by your veterinarian.
In case of infectious conjunctivitis or otitis, use a syringe without a needle and apply it to the eye or ear. For otitis, apply:
Dogs weighing less than 20 kg: 0.5 mL
Dogs weighing more than 20 kg: 1.0 mL

PRESENTATION:

120 mL container.

ADMINISTRATION:

Otic.

Rx Felvital® Taurine

Número de Registro Q-4196-279



Taurine supplement with vitamins for cats with nutritional deficiencies

FORMULA:
Each 100 mL contains:
Taurine 10 g
Vehicle: vitamin B1 (thiamine), vitamin B2 (riboflavin), vitamin B3 (niacin), vitamin B5 (calcium pantothenate), vitamin B6 (pyridoxine), vitamin B12 (cyanocobalamin), vitamin A, vitamin C, vitamin E, vitamin D3, vitamin K, biotin, folic acid, thickeners, flavorings and water q.s. 100 mL

INDICATIONS:
Taurine nutritional supplement, which supports maintenance of the heart, vision, immune, reproductive, digestive, and nervous systems.
Also aids energy metabolism, tissue maintenance, and provides antioxidants.

DOSAGE:
2.5 mL of **Rx Felvital® Taurine** per cat (providing 250 mg of taurine) every 12 or 24 hours.
Dosage may be adjusted at the veterinarian's discretion.
For further information, scan the QR code on the box.

PRESENTATION:
Box with 80 mL container.

ADMINISTRATION:
Oral.

Rx Felvital® L-carnitine

Registration number Q-4196-278



L-carnitine supplement for cats with excess weight, obesity, hepatic lipidosis or hyperthyroidism

FORMULA:
Each 100 mL contains:
L-carnitine 10 g
Vehicle q.s. 100 mL

INDICATIONS:
Nutritional supplement helpful in controlling feline obesity and overweight.
Aid for treatment of feline hepatic lipidosis and hyperthyroidism.

DOSAGE:
2.5 mL of Rx **Felvital® L-Carnitine** per cat per day (which provides 250 mg of L-carnitine)).
The dose may be modified at the veterinarian's discretion.
Further information is available by scanning the QR code on the box.

PRESENTATION:
Box with 80 mL container.

ADMINISTRATION:
Oral.

Rx Felvital® UT

Registration number Q-4196-280



Supplement N-acetyl-D-glucosamine and L-tryptophan supplement helpful in the treatment of feline idiopathic cystitis

FORMULA:
Each 3 mL contains:
N-acetyl-D-glucosamine (NAG): 250 mg L-tryptophan: 62.5 mg
Excipients: hyaluronic acid, thickeners, flavorings and water q.s. 3 mL

INDICATIONS:
Nutritional supplement as an adjunct in the treatment of feline idiopathic cystitis.
Rx Felvital® UT provides the essential components to support the regeneration and maintenance of the bladder's protective glycosaminoglycan (GAG) layer. In addition, it contains L-tryptophan, a precursor to serotonin, a neurotransmitter that helps regulate susceptibility to stress, which, when chronic, can lead to functional and structural changes in the bladder.

DOSAGE:
3 mL of **Rx Felvital®** UT er 5 kg of body weight (which provides 250 mg of NAG and 62.5 mg of L-tryptophan) once a day.
The dosage may be modified at the veterinarian's discretion.
Further information is available by scanning the QR code on the box.

PRESENTATION:
Box with 100 mL container.

ADMINISTRATION:
Oral.

Rx Felvital® Itraconazole

Registration number Q-4196-275



Antifungal agent. For cats and dogs.

FORMULA:
Each mL contains:
Itraconazole: 10 mg Vehicle q.s.: 1 mL

INDICATIONS:
Treatment for dermatophytosis, **Malassezia** sp. dermatitis, cryptococcosis, blastomycosis, histoplasmosis, sporotrichosis, and candidiasis.

DOSAGE:
General dose:
Dermatophytosis: 5 to 10 mg/kg of body weight every 24 hours. A prolonged course of therapy is required; take samples for mycological culture after 4 weeks of treatment and continue therapy until 2 to 3 negative cultures are obtained at weekly intervals.
The treatment can be administered in pulses: 1 week on and 1 week off, especially for long treatments, although normally 3 pulses (6 weeks: 3 of treatment and 3 of rest) may be sufficient.
Systemic mycoses: 5 to 10 mg/kg of body weight every 24h.
The treatment may require several months to achieve a cure (from 6 months).
Malassezia dermatitis: 5 mg/kg of body weight every 24 h.
Pulse treatment can also be administered: 5 mg/kg of body weight every 24 hours for two consecutive days per week, up to 1 week after clinical signs subside.
Rx Felvital® Itraconazole
Cats and dogs: 0.5 mL per kg of body weight (equivalent to 5 mg per kg of body weight) every 24 h.
Dosage may be modified at the veterinarian's discretion.
Further information is available by scanning the QR code on the box.

PRESENTATION:
Box with 60 mL container.

ADMINISTRATION:
Oral.

Rx Felvital® Tri-Defense

Registration number Q-4196-275



Internal antiparasitic. For cats and dogs

FORMULA:
Each mL contains:
Toltrazuril: 50 mg
Pyrantel pamoate: 37.5 mg Febantel: 37.5 mg
Vehicle q.s.: 1 mL

INDICATIONS:
Broad-spectrum internal antiparasitic indicated for the treatment of internal parasitosis caused by giardia, coccidia, toxocara, ascarids, ancylostoma, uncinaria and tricurids susceptible to the contents of the formula in cats and dogs from three weeks of age.

DOSAGE:
General dose:
Toltrazuril: 20 mg per kg of body weight.
Pyrantel pamoate: 15 mg per kg of body weight.
Febantel: 15 mg per kg of body weight.
Rx Felvital® Tri-Defense
0.4 mL per kg of body weight.
Coccidia and giardia: administer the dose for 3 consecutive days.
Toxocara, ascarids, ancylostomas, hookworms and **Trichurids**: repeat the dose 15 days after the first treatment.
Dosage may be modified at the veterinarian's discretion.
Further information is available by scanning the QR code on the box.

PRESENTATION:
Box with 30 mL container.

ADMINISTRATION:
Oral.

Rx Felvital® Prednisolone

Registration number Q-4196-008



Steroidal anti-inflammatory drug
For cats and dogs

FORMULA:
Each mL contains:
Prednisolone base 3 mg
Vehicle q.s. 1 mL

INDICATIONS:
Steroidal anti-inflammatory drug for symptomatic treatment of inflammatory processes, autoimmune diseases, or as an aid in cases of neoplasia.

DOSAGE:
General dose: 0.2 to 6.6 mg per kg of body weight per day.
Rx Felvital® Prednisolone
Dose 0.2 mg/kg: 0.06 mL per kg of body weight.
Dose 0.4 mg/kg: 0.13 mL per kg of body weight.
Dose 0.5 mg/kg: 0.16 mL per kg of body weight.
Dose 1.0 mg/kg: 0.33 mL per kg of body weight.
Dose 2.0 mg/kg: 0.66 mL per kg of body weight.
Dose 4.0 mg/kg: 1.33 mL per kg of body weight.
Dose 5.0 mg/kg: 1.66 mL per kg of body weight.
Dosage may be modified at the veterinarian's discretion.
Further information is available by scanning the QR code on the box.

PRESENTATION:
Box with 30 mL container.

ADMINISTRATION:
Oral.

HOLLAND Animal Health

MY PETS VETERINARY CENTER W.L.L